

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	40	(minimum with percentage with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:11
L2	10	(minimum with percentage with row\$1) and adjusted	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:11
S1	78	(histogram near bucket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:04
S2	3	((histogram near bucket\$1) same value\$1 same height\$1 same row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 12:16
S3	3	((("20030212702") or ("6263334") or ("6675164"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/20 19:36
S4	3	(histogram near bucket\$1) and (bias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:04
S5	269	(histogram near (bucket\$1 or bin\$1 or stor\$3)) and (bias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:04
S6	0	(histogram near (bucket\$1 or bin\$1 or stor\$3)) and ((bias) with (minimum or least) with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 12:24

EAST Search History

S7	36	(histogram near (bucket\$1 or bin\$1 or stor\$3)) and (high with bias)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/16 12:25
S8	0	("(US-20030176931-\$orUS-20030208744-\$orUS-20040010497-\$).did. or(US-6263334-\$orUS-6675164-\$orUS-6263287-\$orUS-6032146-\$orUS-6865567-\$orUS-6741983-\$orUS-6003029-\$orUS-6460045-\$orUS-6230151-\$).did.").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/16 13:00
S9	9	(US-20030176931-\$ or US-20030208744-\$ or US-20040010497-\$).did. or (US-6263334-\$ or US-6675164-\$ or US-6263287-\$ or US-6032146-\$ or US-6865567-\$ or US-6741983-\$ or US-6003029-\$ or US-6460045-\$ or US-6230151-\$).did.	USPAT	OR	OFF	2006/06/16 16:47
S10	1	("6477523").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/20 20:04
S11	2182	(histogram near (bucket\$1 or bin\$1 or stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:05
S12	15	(histogram near (bucket\$1 or bin\$1 or stor\$3)) and ("1+s")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:11
S13	0	(histogram) and (high\$1bias\$2) and ("1+s")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 16:44
S14	8	(histogram) and (high\$1bias\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:30

EAST Search History

S15	1227716	(histogram) percent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:30
S16	13690	(histogram) and percent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:31
S17	0	(histogram\$1) and (percent\$3) and ("1/(fb)")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:31
S18	381	(histogram\$1) and (percent\$3) and (total with (bucket\$1 or bin\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 20:32
S19	11	("6094657" "6108647" "6112126" "6226629" "6272487" "6360214" "6363371" "6366901").PN. OR ("6477523"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/06/21 09:15
S20	2652	(histogram\$1 with value\$1) and (height)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:11
S21	152	(histogram\$1 with value\$1) and (height with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 16:46
S22	14	(histogram\$1 with value\$1) and (height with row\$1) and (percent\$3 with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/25 13:10

EAST Search History

S23	1	(histogram\$1 with value\$1) and (height with row\$1) and (percent\$3 with row\$1) and (high with (bias or density))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 16:49
S24	0	(high with (bias)) and (minimum with percent\$3 with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:17
S25	66	(minimum with percent\$3 with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/29 16:50
S26	4	(minimum with percent\$3 with row\$1) and histogram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:26
S27	66	(minimum with percent\$3 with row\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:17
S28	0	(minimum with percent\$3 with row\$1 with appear\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:26
S29	0	((minimum with percent\$3 with row\$1) same appear\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:27
S30	405	((minimum with row\$1) same appear\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:27

EAST Search History

S31	49	((value\$1 with minimum with row\$1) same appear\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 15:27
S32	17260	(histogram\$1) and (threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:12
S33	2382	(histogram\$1) and (value\$1 with exceed\$1 with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 10:51
S34	45	(histogram\$1) and (value\$1 with exceed\$1 with threshold) and (value\$1 with exceed with (bucket\$1 or bin\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:13
S35	0	(histogram\$1) and (value\$1 with exceed\$1 with threshold) and (value\$1 with exceed with (bucket\$1 or bin\$1)) and (full with bucket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:13
S36	45	(histogram\$1) and (value\$1 with exceed\$1 with threshold) and (value\$1 with exceed with (bucket\$1 or bin\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 19:55
S37	0	(histogram\$1) and (value\$1 with exceed\$1 with threshold) and (plac\$3 with value\$1 with exceed with (bucket\$1 or bin\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 20:01
S38	1	("6263334").PN.	USPAT; USOCR	OR	OFF	2006/07/05 20:01
S39	30	(histogram\$1) and (value\$1 with exceed\$1 with threshold with (bucket or bin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 19:06

EAST Search History

S40	9	(histogram\$1) and (value\$1 with exceed\$1 with threshold with (bucket or bin)) and ((bin or bucket\$1) with (ful\$2 or fil\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:52
S41	699	(histogram\$1) and (total with (bucket\$1 or bin\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:13
S42	0	(histogram\$1) and (total with (bucket\$1 or bin\$1)) and high\$bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:14
S43	0	(histogram\$1) and (total with (bucket\$1 or bin\$1)) and high\$1bias	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:15
S44	84	(histogram\$1) and (total with (bucket\$1 or bin\$1)) and (total with less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 11:16
S45	22	(histogram\$1) and (total with (bucket\$1 or bin\$1)) and (total with less) and (total with great\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 13:38
S46	4	(histogram\$1) and ((re\$1classification or reclassification or recluster\$3 or re\$1cluster\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 23:49
S47	883	(histogram\$1) and ((high\$1bias) with loner\$1 or outlier\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:10

EAST Search History

S48	11	(histogram\$1) and ((high\$1bias) with loner\$1 or outlier\$1) and (count\$3 with row\$1 with value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:12
S49	0	(histogram\$1) and ((high\$1bias) with (loner\$1 or outlier\$1)) and (count\$3 with row\$1 with value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:12
S50	0	(histogram\$1) and ((high\$1bias) with (loner\$1 or outlier\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:13
S51	4	(histogram\$1) and (average with height) and (re\$1classification or reclassification or recluster\$3 or re\$1cluster\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 14:14
S52	23	((re\$1classification or reclassification or recluster\$3 or re\$1cluster\$3) with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 00:08
S53	5	((re\$1classification or reclassification or recluster\$3 or re\$1cluster\$3) with threshold) and bias\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/06 23:50
S54	3155	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:53
S55	165	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) and (exceed\$3 with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:55

EAST Search History

S56	9	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) same (exceed\$3 with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:54
S57	47	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) and (value with exceed\$3 with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:56
S58	47	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) and (value\$1 with exceed\$3 with threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 08:56
S59	36	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) and (value\$1 with exceed\$3 with threshold) and (value\$1 with (bucket\$1 or bin\$1 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/07 09:00
S60	12	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) and (value\$1 with exceed\$3 with threshold) same (value\$1 with (bucket\$1 or bin\$1 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:25
S61	13	((bucket\$1 or bin\$1 or interval\$1) with (full or fil\$2)) and ((bucket\$1 or bin\$1 or interval\$1) with empty) and (value\$1 with exceed\$3 with threshold) and ((plac\$3 or mov\$3 or represent\$3) with value\$1 with (bucket\$1 or bin\$1 or interval\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 08:27
S62	611	(statistic\$1 with table\$1) and histogram\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 08:27
S63	1	(statistic\$1 with table\$1) and histogram\$1 and ((height with row\$1) with value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 08:39

EAST Search History

S64	21	((re\$cluster\$3 or reclassif\$7 or reclassif\$7) with threshold with value\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 08:42
S65	3	((re\$cluster\$3 or reclassif\$7 or reclassif\$7) with threshold with value\$1) and histogram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 08:47
S66	12099	(threshold with value\$1) and histogram	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:26
S67	2479	(value\$1 with exceed\$1 with threshold) and histogram\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:28
S68	77	(value\$1 with exceed\$1 with threshold) and (average with height) and histogram\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:29
S69	0	(value\$1 with exceed\$1 with threshold) and (average with height) and histogram\$1 and (new with bucket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:29
S70	0	(value\$1 with exceed\$1 with threshold) and (average with height) and (histogram\$1 with bucket\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:30
S71	1	(value\$1 with exceed\$1 with threshold) and (average with height) and (histogram\$1) and bucket\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:31

EAST Search History

S72	25	(value\$1 with exceed\$1 with threshold) and (average with height) and (histogram\$1) and (bucket\$1 or bin\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 09:31
S73	165	((bucket\$1 with histogram\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:25
S74	34	((bucket\$1 with histogram\$1)) and (threshold with exceed\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/22 13:25